



Hallingdal 65

Abrasion

Approximately 100.000 Martindale rubs, EN ISO 12947

Pilling

Note 3, EN ISO 12945

Lightfastness

Note 5-7, ISO 105-B02

Flame resistance

EN 1021-1/2

BS 5852, ignition source 2-5

DIN 4102 B2

Önorm B1/Q1

UNI 9175/UNI 9176, 1IM

US Cal. Tech. Bull. 117

IMO A.652(16)

M2 when flame protected

No use of brominated flame retardants

Benefits of wool

Wool is a renewable resource

Wool is very comfortable because of its ability to absorb / give off humidity

Wool is flame retardant

Wool is biodegradable

Wool is naturally soil resistant

Wool ages with grace

Quality benefits

Very good abrasion

Good lightfastness

Flame retardant

Environmental benefits

Complies with EU Ecoflower

Long life span

No use of AZO dyes, which may split off carcinogenic acrylamines

No use of dyes containing heavy metals

No content of formaldehyde

No use of brominated flame retardants

Biodegradable spinning oil

We adhere to the limits set by the Danish Environmental Protection Agency's "List of Undesirable Substances"

Reduced Emissions

Indoor air quality certified under the Greenguard for Children & Schools Program, complies with CA Section 01350 requirements for schools and accepted for CHPS Low-Emitting Materials credits. www.greenguard.org

For further information

www.kvadrat.dk

Hallingdal 65

Design: Nanna Ditzel

Type: Upholstery

Composition: 70% new wool, 30% viscose

Yarn type: Stapel

Binding: Plain

Width: 130 cm

Weight: Approximately 795 g/lin.m

Repeat: None

Cleaning: Dry clean or clean with foam detergents

Stain removal: See special guide

